

Temperature Characteristic

■ Resistance increase coefficient - Temperature [Ni-Cr Wire, Fe-Cr Wire]

Temp°C	20	100	200	300	400	500	600	700	800	900	1000	1100	1200	1300
NCHW1	1.000	1.009	1.024	1.039	1.056	1.070	1.068	1.062	1.060	1.063	1.070	1.080	1.093	
NCHW2	1.000	1.014	1.031	1.048	1.065	1.077	1.083	1.085	1.090	1.095	1.103			
FCHW1	1.000	1.005	1.009	1.013	1.018	1.021	1.027	1.037	1.043	1.047	1.048	1.049	1.049	1.049
FCHW2	1.000	1.005	1.014	1.025	1.038	1.054	1.074	1.086	1.095	1.102	1.107	1.110	1.112	
Kanthal A-1	1.000	1.000	1.000	1.000	1.000	1.010	1.020	1.020	1.030	1.030	1.040	1.040	1.040	1.040

