

Fe-Cr Alloy ribbon 【resistance length weight】

Alloy Kanthal AF	Resistivity (20°C $\mu \Omega$ m) 1.39
-----------------------------------	--

dimension (mm)	dimension tolerance (mm)	Cross section (mm ²)	resistance tolerance (%)	resistivity (Ω /m)	Length (m/Kg)	Weight (g/m)
3.0 × 30		88.20		0.01544	1.554	643.5
2.0 × 25		49.00		0.02780	2.797	357.5
2.5 × 25		61.25		0.02224	2.238	446.9
3.0 × 25		73.50		0.01853	1.865	536.3
1.5 × 20		29.40		0.04633	4.662	214.5
2.0 × 20		39.20		0.03475	3.497	286.0
2.5 × 20		49.00		0.02780	2.797	357.5
3.0 × 20		58.80		0.02317	2.331	429.0
1.2 × 15		17.64		0.07722	7.770	128.7
1.5 × 15		22.05		0.06178	6.216	160.9
2.0 × 15		29.40		0.04633	4.662	214.5
1.2 × 12		14.11		0.09653	9.713	103.0
1.0 × 10		9.800		0.1390	13.99	71.50

※ Kanthal AF are registered trademark of Kanthal (Sandvik AB).